EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	791	squalene adj synthase	US-PGPUB; USPAT; DERWENT	OR	ON	2006/10/11 12:03
L2	12	squalene adj synthase and phaffia	US-PGPUB; USPAT; DERWENT	OR	ON	2006/10/11 12:10
L3	5	squalene adj synthase and phaffia and polynucleotide	US-PGPUB; USPAT; DERWENT	OR	ON	2006/10/11 12:13
L4	97	squalene adj synthase and polynucleotide	US-PGPUB; USPAT; DERWENT	OR	ON	2006/10/11 12:13

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
=> save
ENTER L#, L# RANGE, ALL, OR (END):end

=> s  squlene (w) synthase and gene
L2            0 SQULENE (W) SYNTHASE AND GENE

=> s  squalene (w) synthase and gene
L3          678 SQUALENE (W) SYNTHASE AND GENE

=> s l3 and dna
L4          219 L3 AND DNA

=> s l4 and polynucleotide
L5            0 L4 AND POLYNUCLEOTIDE

=> s l4 and phaffia
L6            2 L4 AND PHAFFIA

=> d ibib abs l6 1-2

L6   ANSWER 1 OF 2  CAPLUS  COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER:         2005:2264  CAPLUS
DOCUMENT NUMBER:          142:87717
TITLE:                    Methylomonas and Staphylococcus carotenoid
                          biosynthesis genes and enzymes and methods
                          for producing C30 carotenoid omega aldehydes in
                          transgenic organisms
INVENTOR(S):              Cheng, Qiong; Tao, Luan
PATENT ASSIGNEE(S):       E. I. Du Pont De Nemoure and Company, USA
SOURCE:                   U.S. Pat. Appl. Publ., 58 pp.
                          CODEN: USXXCO
DOCUMENT TYPE:            Patent
LANGUAGE:                 English
FAMILY ACC. NUM. COUNT:   1
PATENT INFORMATION:

     PATENT NO.           KIND   DATE        APPLICATION NO.          DATE
     ---------------      ----   --------    --------------------     --------
     US 2004268436         A1    20041230    US 2004-860291           20040603
     US 7098000            B2    20060829
     WO 2005079183         A2    20050901    WO 2004-US18203          20040604
     WO 2005079183         A3    20060309
         W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
             LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
             NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
             TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
             AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
             EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
             SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
             SN, TD, TG
     EP 1633862            A2    20060315    EP 2004-809435           20040604
         R:  AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR
PRIORITY APPLN. INFO.:                    US 2003-475743P     P  20030604
                                          WO 2004-US18203     W  20040604
AB   The invention relates to methods of producing C30 carotenoid compds. via
     the engineering of a host cell expressing genes encoding a
     combination of the enzymes diapophytoene synthase, diapophytoene
```

desaturase, and an oxidase for introducing an omega-aldehyde functional group on the omega carbon of a conjugated polyene carbon skeleton. Specially, various combination of CrtM, sqs, CrtN and CrtN2 genes from Methylomonas and Staphylococcus can be co-expressed in transformant hosts, leading to the production of diaponeurosporene monoaldehyde, diapocarotene monoaldehyde, diapocarotene dialdehyde and functional derivs. The sequences of squalene synthase, diapophytoene desaturase, aldehyde dehydrogenase and omega-aldehyde introducing enzyme from Methylomonas are provided. The sequences of dehydrosqualene synthase, diapophytoene desaturase, and omega-aldehyde introducing enzyme from Staphylococcus are provided.

REFERENCE COUNT: 38 THERE ARE 38 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:287918 CAPLUS

DOCUMENT NUMBER: 140:298637

TITLE: Isolation and cloning of squalene synthase gene of Phaffia rhodozyma or Xanthophyllomyces dendrorhous for improved production of carotenoids in transgenic fish

INVENTOR(S): Hoshino, Tatsuo; Ojima, Kazuyuki; Setoguchi, Yutaka

PATENT ASSIGNEE(S): DSM Ip Assets B.V., Neth.

SOURCE: PCT Int. Appl., 55 pp.
CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004029255	A2	20040408	WO 2003-EP10573	20030923
WO 2004029255	A3	20040527		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2498800	AA	20040408	CA 2003-2498800	20030923
AU 2003273922	A1	20040419	AU 2003-273922	20030923
EP 1543115	A2	20050622	EP 2003-757888	20030923
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2006500054	T2	20060105	JP 2004-538991	20030923
CN 1777681	A	20060524	CN 2003-822615	20030923
US 2006160172	A1	20060720	US 2005-528872	20050929
PRIORITY APPLN. INFO.:			EP 2002-21619 A	20020927
			WO 2003-EP10573 W	20030923

AB The present invention relates to a gene useful in a process to increase the microbial production of carotenoids. In particular, it relates to isolation and cloning of squalene synthase gene of Phaffia rhodozyma or Xanthophyllomyces dendrorhous for improved production of carotenoids in transgenic fish. The carotenoids astaxanthin is distributed in a wide variety of organisms such as animals, algae and microorganisms. It has a strong antioxidn. property against reactive oxygen species. Astaxanthin is used as a coloring reagent, especially in the industry of farmed fish, such as salmon, because astaxanthin imparts distinctive orange-red coloration to the animals and

contributes to consumer appeal in the marketplace.

=>